

Graham Worth

University of Birmingham
Edgebaston, Birmingham B15 2TT, U.K.

Journal Articles

- [1] J. L. Woodhouse, M. Assmann, M. A. Parkes, H. Grounds, S .J. Pacman, J. C. Anderson, G. A. Worth, and H. H. Fielding. Photoelectron spectroscopy of isolated luciferin and infraluciferin anions *in vacuo*: competing photodetachment, photofragmentation and internal conversion. *PCCP*, xxx:xxxx, 2017. In Press.
- [2] O. M. Kirkby, M. A. Parkes, S. P. Neville, G. A. Worth, and H. H. F Fielding. Non-radiative relaxation dynamics of pyrrole following excitation in the range 249.5 - 200 nm. *Chem. Phys. Lett.*, 683:179–185, 2017. DOI: 10.1016/j.cplett.2017.04.035.
- [3] G. W. Richings and G. A. Worth. Multi-state non-adiabatic direct-dynamics on propagated diabatic potential energy surfaces. *Chem. Phys. Lett.*, 683:606–612, 2017. DOI: 10.1016/j.cplett.2017.03.032.
- [4] C. McLaughlin, M. Assmann, M. A. Parkes, J. Woodhouse, R. Lewin, H. C. Hailes, G. A. Worth, and H. H. Fielding. *Ortho* and *para* chromophores of green fluorescent protein: controlling electron emission and internal conversion. *Chem. Sci.*, 8:1621–1630, 2017. DOI: 10.1039/C6SC03833F.
- [5] K. E. Spinlove, M. Vacher, M. Bearpark, M. A. Robb, and G. A. Worth. Using quantum dynamics simulations to follow the competition between charge migration and charge transfer in polyatomic molecules. *Chem. Phys.*, 482:52–63, 2017. DOI: 10.1016/j.chemphys.2016.10.007.
- [6] M. Keß, G. Worth, and V. Engel. Two-dimensional vibronic spectroscopy of molecular aggregates: trimers, dimers and monomers. *J. Chem. Phys.*, 145:084305–8, 2016. DOI: 10.1063/1.4961388.
- [7] S. P. Neville, O. Kirkby, N. Kaltsoyannis, G. A. Worth, and H. H. F. Fielding. Identification of a new electron transfer relaxation pathway in photoexcited pyrrole dimers. *Nature Comms.*, 7:11357, 2016. DOI: 10.1038/ncomms11357.
- [8] G. Wu, S. P. Neville, O. Schalk, T. Sekikawa, , M. N. R. Ashfold, G. A. Worth, and A. Stolow. Excited state non-adiabatic dynamics of N-methylpyrrole: A time-resolved photoelectron spectroscopy and quantum dynamics study. *J. Chem. Phys.*, 144:014309–12, 2016. DOI: 10.1063/1.4938423.
- [9] G. W. Richings and G. A. Worth. A practical diabatisation scheme for use with the direct-dynamics variational multi-configuration gaussian method. *J. Phys. Chem. A*, 119:12457, 2015. DOI: 10.1021/acs.jpca.5b07921.
- [10] I. Polyak, C. Allan, and G. A. Worth. A complete description of tunneling using direct quantum dynamics simulations: salicylaldimine proton transfer. *J. Chem. Phys.*, 143:084121, 2015. DOI: 10.1063/1.4929478.
- [11] C. Robertson and G. A. Worth. Generating invariant polynomials used in vibronic coupling models for molecules representing non-abelian point groups. *Chem. Phys.*, 460:125–134, 2015. DOI: 10.1016/j.chemphys.2015.07.034.
- [12] G. Wu, S. P. Neville, O. Schalk, T. Sekikawa, M. N. R. Ashfold, G. A. Worth, and A. Stolow. Excited state non-adiabatic dynamics of pyrrole: A time-resolved photoelectron spectroscopy and quantum dynamics study. *J. Chem. Phys.*, 142:074302, 2015. DOI: 10.1063/1.4907529.
- [13] G. W. Richings and G. A. Worth. The time-resolved photoelectron spectrum of toluene using a perturbation theory approach. *J. Chem. Phys.*, 141:244115–12, 2014. DOI: 10.1063/1.4904079.
- [14] S. Neville and G. A. Worth. A conformer resolved quantum dynamics study of the photodissociation of 3-pyrroline. *J. Phys. Chem. A*, 114:11975–11986, 2014. DOI: 10.1021/jp507075c.

- [15] B. M. Krishna, J. Lefevre, R. Marquardt, and G. A. Worth. Cu + NO scattering quantum dynamics. *Int. J. Mass. Spect.*, 121:365–366, 2014. DOI: 10.1016/j.ijms.2014.01.024.
- [16] S. Neville and G. A. Worth. A reinterpretation of the electronic spectrum of pyrrole: A quantum dynamics study. *J. Chem. Phys.*, 140:034317–13, 2014. DOI: 10.1063/1.4861223.
- [17] F. Wang, S. Neville, Wang. R. S., and G. A. Worth. A quantum dynamics study of photoexcited aniline. *J. Phys. Chem. A*, 117:7298–7307, 2013. DOI: 10.1021/jp401116c.
- [18] K. M. Jones, J. A. Milkiewicz, B. J. Whitaker, A. G. Sage, and G. A. Worth. Photodissociation of ClNO on the $2^1A'$ state: computational and experimental NO product state distributions. *ChemPhysChem*, 14:1479–1487, 2013. DOI: 10.1002/cphc.201200999.
- [19] Gareth W. Richings and Graham A. Worth. Non-resonant dynamic stark control at a conical intersection: The photodissociation of ammonia. *J. Phys. Chem. A*, 116:11228–11240, 2012. DOI: 10.1021/jp305216v.
- [20] D. Mendive-Tapia, B. Lasorne, G. Worth, M. Bearpark, and M. Robb. Towards converging non-adiabatic direct dynamics calculations using frozen-width variational gaussian product basis functions. *J. Chem. Phys.*, 137:22A548–10, 2012. DOI: 10.1063/1.4765087.
- [21] T. J. Penfold, R. Spesyvtsev, O. Kirkby, R. S. Minns, D. Parker, H. H. F. Fielding, and G. A. Worth. Quantum dynamics study of the competing ultrafast intersystem crossing and internal conversion in the “channel 3” region of benzene. *J. Chem. Phys.*, 137:204310–12, 2012. DOI: 10.1063/1.4767054.
- [22] M. Aßmann, G. Worth, and L. González. 9D nonadiabatic quantum dynamics through a four-state degeneracy: Investigating the homolysis of the o-o bond in anthracene-9,10-endoperoxide. *J. Chem. Phys.*, 137:22A524–12, 2012. DOI: 10.1063/1.4742908.
- [23] K. Giri, E. Chapman, C. Sanz Sanz, and G. Worth. A full-dimensional coupled-surface study of the photodissociation dynamics of ammonia using the multiconfiguration time-dependent hartree method. *J. Chem. Phys.*, 135:044311, 2011. DOI: 10.1063/1.3614038.
- [24] C. Sanz Sanz, G. W. Richings, and G. A. Worth. Dynamic stark control: Model studies based on the photodissociation of IBr. *Farad. Discuss.*, 153:275–291, 2011. DOI: 10.1039/c1fd00039j.
- [25] D. Mendive-Tapia, B. Lasorne, G. A. Worth, M. J. Bearpark, and M. A. Robb. Controlling the mechanism of fulvene S1/S0 decay: Switching off the stepwise population transfer. *PCCP*, 12:15725–15733, 2010.
- [26] M. Aßmann, C. Sanz Sanz, G. Pérez-Hernández, G. A. Worth, and L. González. Excited state dynamics of a model asymmetric molecular rotor: a four-dimensional study on 2-cyclopentylidene-tetrahydrofuran. *Chem. Phys.*, 377:86–95, 2010. DOI: 10.1016/j.chemphys.2010.08.019.
- [27] T. J. Penfold and G. A. Worth. The effect of molecular distortions on spin orbit coupling in simple hydrocarbons. *Chem. Phys.*, 375:58–66, 2010. DOI: 10.1016/j.chemphys.2010.07.019.
- [28] T. J. Penfold, G. A. Worth, and C. Meier. Local control of multidimensional dynamics. *PCCP*, 12:15616 – 15627, 2010. DOI: 10.1039/C003768K.
- [29] C. S. M. Allan, B. Lasorne, G. A. Worth, and M. A. Robb. A straightforward method of analysis for direct quantum dynamics: Application to the photochemistry of a model cyanine. *J. Phys. Chem. A*, 114:8713–8729, 2010.
- [30] R. S. Minns, D. S. N. Parker, T. J. Penfold, G. A. Worth, and H. H. Fielding. Competing ultrafast intersystem crossing and internal conversion in the “channel 3” region of benzene. *PCCP*, 12:15607–15615, 2010.
- [31] D. Asturiol, B. Lasorne, G. A. Worth, M. A. Robb, and L. Blancafort. Exploring the sloped-to-peaked S₂/S₁ seam of intersection of thymine with electronic structure and direct quantum dynamics calculations. *PCCP*, 12:4949–4958, 2010.

- [32] T. J. Frankcombe, M. A. Collins, and G. A. Worth. Converged quantum dynamics with modified Shepard interpolation and Gaussian wave packets. *Chem. Phys. Lett.*, 489:242–247, 2010. DOI: 10.1016/j.cplett.2010.02.068.
- [33] M. Araújo, B. Lasorne, A. L. Magalhēs, G. A. Worth, M. J. Bearpark, and M. A. Robb. The molecular dissociation of formaldehyde at medium photoexcitation energies: a quantum chemistry and direct quantum dynamics study. *J. Chem. Phys.*, 131:144301–8, 2009.
- [34] T. J. Penfold and G. A. Worth. A model Hamiltonian to simulate the complex photochemistry of benzene II. *J. Chem. Phys.*, 131:064303–12, 2009.
- [35] D. S. N. Parker, R. S. Minns, T. J. Penfold, G. A. Worth, and H. H. Fielding. Ultrafast dynamics of the S_1 excited state of benzene. *Chem. Phys. Lett.*, 469:43–47, 2009.
- [36] I. Burghardt, K. Giri, and G. A. Worth. Multi-mode quantum dynamics using Gaussian wavepackets: The G-MCTDH method applied to the absorption spectrum of pyrazine. *J. Chem. Phys.*, 129:174104–14, 2008.
- [37] B. Lasorne, M. J. Bearpark, M. A. Robb, and G. A. Worth. Controlling S_1/S_0 decay and the balance between photochemistry and photostability in benzene: A direct quantum dynamics study. *J. Phys. Chem. A*, 112:13017–13027, 2008.
- [38] B. Lasorne, F. Sicilia, M. J. Bearpark, M. A. Robb, G. A. Worth, and L. Blancafort. Automatic generation of active coordinates for quantum dynamics calculations: Application to the dynamics of benzene photochemistry. *J. Chem. Phys.*, 128:124307–10, 2008.
- [39] B. Lasorne, M. A. Robb, and G. A. Worth. Direct quantum dynamics using variational multi-configuration Gaussian wavepackets. implementation details and test case. *PCCP*, 9:3210 – 3227, 2007.
- [40] G. A. Worth, R. E. Carley, and H. H. Fielding. Using photoelectron spectroscopy to unravel the excited state dynamics of benzene. *Chem. Phys.*, 338:220–227, 2007.
- [41] T. J. Penfold and G. A. Worth. The photodissociation of ozone: A quasi-classical approach to a quantum dynamics problem. *J. Mol. Graph. and Mod.*, 26:613–621, 2007.
- [42] G. A. Worth. A model Hamiltonian to simulate the complex photochemistry of benzene. *J. Photochem. Photobiol. A*, 190:190–199, 2007.
- [43] B. Lasorne, M. J. Bearpark, M. A. Robb, and G. A. Worth. Direct quantum dynamics using variational multi-configuration Gaussian wavepackets. *Chem. Phys. Lett.*, 432:604–609, 2006.
- [44] S. Saddique and G. A. Worth. Applying the vibronic coupling model Hamiltonian to the photoelectron spectrum of cyclobutadiene. *Chem. Phys.*, 329:99–108, 2006.
- [45] G. A. Worth, G. Welch, and M. J. Paterson. Wavepacket dynamics study of $\text{Cr}(\text{CO})_5$ after formation by photodissociation: relaxation through an $(\text{E} \oplus \text{A}) \otimes \text{E}$ Jahn-Teller conical intersection. *Mol. Phys.*, 104:1095–1105, 2006.
- [46] A. Markmann, G. A. Worth, S. Mahapatra, H.-D. Meyer, H. Köppel, and L. S. Cederbaum. Simulation of a complex spectrum: Interplay of five electronic states and 21 vibrational degrees of freedom in C_5H_4^+ . *J. Chem. Phys.*, 123:204310–9, 2005.
- [47] A. Markmann, G. A. Worth, and L. S. Cederbaum. Allene and pentatetraene cations as models for intramolecular charge transfer: Vibronic coupling Hamiltonian and conical intersections. *J. Chem. Phys.*, 122:144320–15, 2005.
- [48] M. J. Paterson, M. J. Bearpark, M. A. Robb, L. Blancafort, and G. A. Worth. Conical intersections: A perspective on the computation of spectroscopic parameters and the degenerate ‘intersection space’. *PCCP*, 7:2100–2115, 2005. Invited article.

- [49] A. Dreuw, G. A. Worth, L. S. Cederbaum, and M. Head-Gordon. Ultrafast photoinitiated long-range electron transfer in cyclophane-bridged zincporphyrin-quinone complexes via conical intersections. *J. Phys. Chem. B*, 108:19049–19055, 2004.
- [50] G. A. Worth, M. A. Robb, and I. Burghardt. Non-adiabatic direct dynamics using variational Gaussian wavepackets: The \tilde{X}/\tilde{A} manifold of the butatriene cation. *Farad. Discuss.*, 127:307–323, 2004.
- [51] I. Burghardt, M. Nest, and G. A. Worth. Multiconfigurational system-bath dynamics using gaussian wavepackets: Energy relaxation and decoherence induced by a finite-dimensional bath. *J. Chem. Phys.*, 119:5364–5378, 2003.
- [52] H.-D. Meyer and G. A. Worth. Quantum molecular dynamics: propagating wavepackets and density operators using the multiconfiguration time-dependent Hartree method. *Theor. Chem. Acc.*, 109:251–267, 2003. Feature article.
- [53] G.A. Worth and I. Burghardt. Full quantum mechanical molecular dynamics using Gaussian wavepackets. *Chem. Phys. Lett.*, 368:502–508, 2003.
- [54] G.A. Worth, P. Hunt, and M.A. Robb. Non-adiabatic dynamics: A comparison of surface hopping direct dynamics with quantum wavepacket calculations. *J. Phys. Chem. A*, 107:621–631, 2003.
- [55] H. Naundorf, G.A. Worth, H.-D. Meyer, and O. Kühn. Multiconfiguration time-dependent hartree dynamics on an ab initio reaction surface: Ultrafast laser-driven proton motion in phthalic acid monomethylester. *J. Phys. Chem. A*, 106:719–724, 2002.
- [56] G.A. Worth and L.S. Cederbaum. Electron transfer along a conjugated chain: The allene radical cation. *Chem. Phys. Lett.*, 348:477–482, 2001.
- [57] Chr. Cattarius, G.A. Worth, H.-D. Meyer, and L.S. Cederbaum. All mode dynamics at the conical intersection of an octa-atomic molecules: MCTDH investigation on the butatriene cation. *J. Chem. Phys.*, 115:2088–2100, 2001.
- [58] F. Gatti, M.H. Beck, G.A. Worth, and H.-D. Meyer. A hybrid approach of multi-configuration time-dependent Hartree and filter-diagonalisation methods for computing bound-state spectra. Application to HO₂. *PCCP*, 3:1576–1582, 2001.
- [59] S. Mahapatra, G.A. Worth, H.-D. Meyer, L.S. Cederbaum, and H. Köppel. The $\tilde{A}^2E/\tilde{B}^2B_2$ photoelectron bands of allene beyond the linear coupling scheme: An *ab initio* dynamical study including all fifteen vibrational modes. *J. Phys. Chem. A*, 105:5567–5576, 2001.
- [60] G.A. Worth and L.S. Cederbaum. Mediation of ultrafast electron transfer in biological systems by conical intersections. *Chem. Phys. Lett.*, 338:219–223, 2001.
- [61] G.A. Worth. Quantum dynamics using pseudo-particle trajectories: A new approach based on the multiconfiguration time-dependent Hartree (MCTDH) method. *J. Chem. Phys.*, 114:1524–1533, 2001.
- [62] G.A. Worth. Accurate wavepacket propagation for large molecular systems: The multiconfiguration time-dependent Hartree (MCTDH) method with selected configurations. *J. Chem. Phys.*, 112:8322–8329, 2000.
- [63] A. Raab, G.A. Worth, H.-D. Meyer, and L.S. Cederbaum. Molecular dynamics of pyrazine after excitation to the S₂ electronic state using a realistic 24-mode model Hamiltonian. *J. Chem. Phys.*, 110:936–946, 1999.
- [64] G.A. Worth, H.-D. Meyer, and L.S. Cederbaum. State filtering by a bath: Exact wavepacket dynamics treating 24 degrees of freedom. *Chem. Phys. Lett.*, 299:451–456, 1999.
- [65] G.A. Worth, H.-D. Meyer, and L.S. Cederbaum. Relaxation of a system with a conical intersection coupled to a bath: A benchmark 24-dimensional wavepacket study treating the environment explicitly. *J. Chem. Phys.*, 109:3518–3529, 1998.

- [66] G.A. Worth, F. Nardi, and R.C. Wade. The use of multiple molecular dynamics trajectories to study complex systems in solution: The YTGP peptide. *J. Phys. Chem. B*, 102:6260–6272, 1998.
- [67] H.-D. Meyer, G.A. Worth, and J.Y. Fang. Comment on: Generalization of the multiconfigurational time-dependent Hartree method to non-adiabatic systems. [J. Chem. Phys. 105, 9191 (1996)]. *J. Chem. Phys.*, 109:349–350, 1998.
- [68] F. Nardi, G.A. Worth, and R.C. Wade. Local interactions of aromatic residues in short peptides in aqueous solution: A combined database and energetic analysis. *Folding and Design*, 2:62–68, 1997.
- [69] G.A. Worth, C. Lecuyer, and R.C. Wade. TRAJAN: A tool for analyzing trajectories from molecular simulations. *J. Mol. Graph.*, 14:173–182, 1996.
- [70] G.A. Worth, H.-D. Meyer, and L.S. Cederbaum. The effect of a model environment on the S₂ absorption spectrum of pyrazine: A dynamic ab initio study explicitly treating all 24 vibrational modes. *J. Chem. Phys.*, 105:4412–4426, 1996.
- [71] G.A. Worth and R.C. Wade. The aromatic - (i+2) amine interaction in peptides. *J. Phys. Chem.*, 99:17473–17482, 1995.
- [72] G.A. Worth, C. Edge, and W.G. Richards. Molecular dynamics of the Ha-ras protein: Nucleotide atom-centred charges within the amber force field. *J. Mol. Mod.*, 1:115–134, 1995.
- [73] G.A. Worth, C. Edge, and W.G. Richards. Calculation of the tautomer ratio of histamine in aqueous solution using free energy perturbation methods: An in depth study. *J. Am. Chem. Soc.*, 116:239–250, 1994.
- [74] P.M. King, C.A. Reynolds, J.W. Essex, G.A. Worth, and W.G. Richards. Free energy calculations of pharmaceutically important properties. *Mol. Sim.*, 5:265–275, 1990.
- [75] G.A. Worth, P.M. King, and W.G. Richards. Histamine tautomerism and its mode of action. *BBA*, 1036:158–161, 1990.
- [76] G.A. Worth, P.M. King, and W.G. Richards. Theoretical calculation of tautomer equilibrium in solution: 4-(5)-methylimidazole. *BBA*, 993:134–136, 1989.

Review Articles and Book Chapters

- [1] G. W. Richings, I. Polyak, K. E. Spinlove, G. A. Worth, I. Burghardt, and B. Lasorne. Quantum dynamics simulations using gaussian wavepackets: The vMCG method. *Int. Rev. Phys. Chem.*, 34:269–308, 2015. DOI: 10.1080/0144235X.2015.1051354.
- [2] B. Lasorne, G. A. Worth, and M. A. Robb. Non-adiabatic photochemistry: Ultrafast electronic state transitions and nuclear wavepacket coherence. In F. Gatti, editor, *Molecular Quantum Dynamics*, pages 181–211. Springer, Heidelberg, Germany, 2014. DOI: 10.1007/978-3-642-45290-1.
- [3] G. A. Worth and G. W. Richings. Optimal control by computer. In *Ann. Rep. Prog. Chem., Sect. C.*, volume 109, pages 113 – 139. RSC, Cambridge, UK, 2013. DOI: 10.1039/c3pc90003g.
- [4] B. Lasorne, G. A. Worth, and M. A. Robb. Excited-state dynamics. In P. R. Schreiner, W. D. Allen, M. Orozco, W. Thiel, and P. Willett, editors, *Wiley Interdisciplinary Reviews: Computational Molecular Science*, volume 1, pages 460–475. John Wiley, New York, 2011.
- [5] G. A. Worth and C. Sanz Sanz. Guiding the time-evolution of a molecule: Optical control by computer. *PCCP*, 12:15570 – 15579, 2010. DOI: 10.1039/c0cp01740j.
- [6] L. Blancafort, B. Lasorne, M. J. Bearpark, G. A. Worth, and M. A. Robb. Second-order analysis of conical intersections: Applications to photochemistry and photophysics of organic molecules. In H Köppel, D. R. Yarkony, and H. Barentzen, editors, *The Jahn-Teller Effect: Advances and Perspectives*, pages 169–200. Springer, Heidelberg, Germany, 2009. ISBN: 978-3-642-03432-2.

- [7] G. A. Worth, M. A. Robb, and B. Lasorne. Solving the time-dependent Schrödinger equation for nuclear motion in one step: Direct dynamics of non-adiabatic systems. *Mol. Phys.*, 106:2077–2091, 2008.
- [8] G. A. Worth, H.-D. Meyer, H. Köppel, L. S. Cederbaum, and I. Burghardt. Using the MCTDH wavepacket propagation method to describe multimode nonadiabatic dynamics. *Int. Rev. Phys. Chem.*, 27:569–606, 2008.
- [9] G. A. Worth, M. A. Robb, and M. J. Bearpark. Semiclassical nonadiabatic trajectory computations in photochemistry: is the reaction path enough to understand a photochemical reaction mechanism? In M. Olivucci, editor, *Computational photochemistry*, pages 171 – 190. Elsevier, Amsterdam, 2005. ISBN: 0-4445-2110-0.
- [10] G. A. Worth, H.-D. Meyer, and L. S. Cederbaum. Multidimensional dynamics involving a conical intersection: Wavepacket calculations using the MCTDH method. In W. Domcke, D. R. Yarkony, and H. Köppel, editors, *Conical intersections: Electronic structure, dynamics and spectroscopy.*, pages 583–617. World Scientific, Singapore, 2004.
- [11] G. A. Worth and L. S. Cederbaum. Beyond Born-Oppenheimer: Conical intersections and their impact on molecular dynamics. *Ann. Rev. Phys. Chem.*, 55:127–158, 2004.
- [12] G. A. Worth and M. A. Robb. Applying direct molecular dynamics to non-adiabatic systems. *Adv. Chem. Phys.*, 124:355–432, 2002.
- [13] G. A. Worth and P. M. King. Tautomerism and ionisation studies using free energy methods. In M. R. Reddy and M. D Erion, editors, *Free energy calculations in rational drug design*, pages 119–140. Kluwer Academic / Plenum, New York, 2001.
- [14] M. Beck, A. Jäckle, G.A. Worth, and H.-D. Meyer. The multiconfiguration time-dependent Hartree (MCTDH) method: A highly efficient algorithm for propagating wavepackets. *Phys. Rep.*, 324:1–106, 2000.

Books Edited

- [1] H.-D. Meyer, F. Gatti, and G. A. Worth, editors. *MCTDH: Basic Theory, Extensions, and Applications to Multidimensional Quantum Dynamics*. VCH, Weinheim, Germany, 2009.
- [2] B. Lasorne and G. A. Worth, editors. *Coherent Control of Molecules*. CCP6, Daresbury, U.K., 2007.
- [3] S. C. Althorpe and G. A. Worth, editors. *Quantum Dynamics at Conical Intersections*. CCP6, Daresbury, U.K., 2004.